12.40" visual height (Accent Headers)

PANEL C (HEADER)

PANEL D (HEADER)

when headers are mounted to system there will be a 3/4" gap between the header and main panel.

bleed

trim

Linear:
Linear Kit 22: 10X10 Booth

Center 10X10
Total Graphic Area: 97.625"w X 88"h
Trim Graphic Area: 93.625"w X 84"h

Please be sure to include a 2" bleed around the perimeter of the center graphic

Panels A, B, E, and F (Accent Wings):
Total Graphic Area:11.4"w X 42.63"h
Trim Graphic Area: 10.4"w X 41.63"h

Panels C and D (Accent Header):
Total Graphic Area: 46.76"w X 13.40"h
Trim Graphic Area: 45.76"w X 12.40"h

Please be sure to include a 1/2" bleed around the perimeter of all wings and header graphics

Please consider obstructions such as tables when designing your graphics

Printleaf
GROW YOUR BUSINESS

www.printleaf.com

PANEL B (WING)

PANEL A (WING)

PANEL E (WING)

PANEL F (WING)

bleed area

trim line

safe zone





General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240 ppi at half scale, 100-120 ppi at full scale
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print

Linear:
Linear Kit 22: 10X10 Booth

Center 10X10
Total Graphic Area: 97.625"w X 88"h
Trim Graphic Area: 93.625"w X 84"h

Please be sure to include a 2" bleed around the perimeter of the center graphic

Panels A, B, E, and F (Accent Wings):
Total Graphic Area:11.4"w X 42.63"h
Trim Graphic Area: 10.4"w X 41.63"h

Panels C and D (Accent Header):
Total Graphic Area: 46.76"w X 13.40"h
Trim Graphic Area: 45.76"w X 12.40"h

Please be sure to include a 1/2" bleed around the perimeter of all wings and header graphics

Please consider obstructions such as tables when designing your graphics

bleed area
trim line
safe zone





General Art Guidelines:

– CMYK Color Mode
– All Solid Coated Pantone colors should be called out in the art as spot colors
– Embed all images and support files
– Resolution must be 200-240 ppi at half scale, 100-120 ppi at full scale
– All fonts must be created to outlines
– Do not scale artboard
– Background color/images must bleed to the edge of artboard
– Do not use spot colors from template in your artwork as they will not print


PANEL A
(WING)

PANEL B
(WING)


PANEL C (HEADER)


PANEL D (HEADER)

bleed

trim

PANEL E
(WING)


PANEL F
(WING)